

INDEX MAPS.

T. 25N, R. 7 E. 2nd Mer.

			221 208	208	207				
6	5	4	3	217	2	212	1	207	
				217	216	212			
7	8	9	10	216	11	212	12	207	
				216	215	211			
18	17	16	15	217	215	14	211	13	207
				217	216	214	210		
19	20	21	22	214	23	210	24	206	
				215	214	209			
30	29	28	27	213	26	209	25	206	
				213	213	209			
31	32	33	34	213	35	208	36	205	
				205	205	205			

T. 26N, R. 7 E. 2nd Mer.

	228		227		227		226		226		226	
228	6	249	5	244	4	239	3	239	2	234	1	225
	249	249	245	240	239	238	233					
228	7	250	8	245	9	240	10	238	11	233	12	225
	251	250	246	241	238	237	233					
229	18	251	17	246	16	241	15	237	14	232	13	225
	252	252	246	241	237	236	232					
229	19	253	20	247	21	242	22	236	23	232	24	224
		248	247	242	236	235	231					
230	30	29	248	28	243	27	235	26	231	25	224	
			244	243	235	234	230					
	31	32	33	244	34	234	35	230	36	224		
				223	223	223						

The figures on the lines refer to the page.

Township Lines.

Chs. 1st South Boundary. Var. 6.06 E

Bearings at corner of T. 25 & 26 N, R. 7 & 8 E.

a Beech 12 in. dia. bears S 47 E 7 1/2 Ms. dist. 8

an Ironwood 8 " " N 17 W 14 " "

West on the S. Boundary of Sec. 36

40.00 set of sec. part from which

an Elm 8 in. dia. bears S 75 E 20 Ms. dist. 8

an Ironwood 8 " " N 55 W 41 " "

07.50 an Oak 14 " "

80.00 set part cor. of sec. 35 & 36 from which

an Oak 40 in. dia. bears S 70 E 34 Ms. dist. 8

a Ss 10 " " N 54 W 31 " "

Over good farming land, Timber Beech, Ash &c.

West on the S. Boundary of Sec. 35

9.60 an Oak 48 in. dia.

40.00 set of sec. part from which

an Ash 7 in. dia. bears East 34 Ms. dist. 8

an Oak 20 " " S 80 W 18 " "

80.00 set part cor. of sec. 34 & 35 from which

a Beech 14 in. dia. bears N 65 E 30 Ms. dist. 8

an Elm 10 " " S 25 W 9 " "

Over stony land, Timber Beech, Elm &c.

West on the S. Boundary of Sec. 34

19.50 Intersect continuation of E. Boundary of Reserve,
set part from which

an Ash 24 in. dia. bears N 67 E 32 Ms. dist. 8

a Beech 12 " " S 18 W 20 " "

(Description of land &c. omitted)

April 5, 1820 John M. Donald, D. S.

West on Township line between T. 25 & 26 N, R. 7 E

Beginning on E. Boundary of Great Miami Re-
servation

T. 20 N., R. 7 E., T. 2 Mer. Ind. a
Chs. Chs.

5.99 an Ash 24 in. dia.
 10.70 a Beech 24 " "
 18.11 Intersect N.E. Boundary of Grant N. 22, set
 point from which
 a Hickory 24 in. dia. bears S 42 E 2 Ws. dist. 8,
 a Beech 12 " " " N 30 E 20 " "
 July 11, 1839 Chauncey Carter
 Deputy Surveyor.

East Boundary. Var. E. 15. E.
North on the E. Boundary of Sec. 36
 14.62 an Oak 22 in. dia.
 40.00 set of sec. point from which
 a Beech 12 in. dia. bears S 9 E 43 Ws. dist. 8
 an Ash 10 " " " N 68 W 25 " "
 63.30 a Beech 12 " "
 80.00 set point cor. of sec. 25 & 36 from which
 a Beech 16 in. dia. bears S 13 E 24 Ws. dist. 8,
 a Hickory 15 " " " N 45 W 13 " "
 Over good farming land, Beech, Sugar, Ash

North on the E. Boundary of Sec. 25
 30.30 a Sugar 20 in. dia.
 40.00 set of sec. point from which
 a Beech 14 in. dia. bears S 26 W 18 Ws. dist. 8,
 a Do 20 " " " N 11 E 14 " "
 68.00 a Walnut 24 in. dia.
 69.00 a Brook 8 Ws. wide course W
 80.00 set point cor. of sec. 24 & 25 from which
 a Sugar 18 in. dia. bears S 23 E 10 Ws. dist. 8
 a Buckeye 10 " " " N 28 W 32 " "
 Land & timber same as last described.

North on the E. Boundary of Sec. 24
 21.40 a Beech 14 in. dia.
 21.85 a Brook 6 Ws. wide course W

T. 20 N., R. 7 E., 2^d. Mer. Ind. a

Ch. 10.

40.00 set of sec. part from which
an Oak 13 in. dia. bears N 28 E 10 W. dist. 4
a Beech 8 " " " S 78 W 7 " "

72.18 a Sugar 14 " "

80.00 set part cor. of sec. 13 & 24 from which
a Sugar 13 in. dia. bears N 27 E 32 W. dist. 4
a Beech 12 " " " S 9 W 30 " "
Land &c. same as last described.

North on the E. Boundary of Sec. 13

23.16 a Sugar 16 in. dia.

40.00 set of sec. part from which
a Beech 18 in. dia. bears S 35 E 12 W. dist. 8
an Oak 20 " " " N 37 W 39 " "

80.00 set part cor. of sec. 12 & 13 from which
an Ash 14 in. dia. bears West 84 W. dist. 8
no more trees convenient.
Land &c. same as last described.

North on the E. Boundary of Sec. 12

40.00 set of sec. part from which
a Beech 10 in. dia. bears N 21 W 10 W. dist. 4
a Do 18 " " " S 35 E 10 " "

64.90 a Lym 18 " "

80.00 set part cor. of sec. 1 & 12 from which
an Ash 16 in. dia. bears S 8 W 25 W. dist. 8
a Beech 10 " " " N 2 E 33 " "
Over pony land. Timber Ash, Beech &c.

North on the E. Boundary of Sec. 1

40.00 set of sec. part from which
a Buckeye 10 in. dia. bears N 24 E 20 W. dist. 8
a Do 8 " " " S 4 W 30 " "

80.20 set part cor. of T. 20 & 27 N., R. 7 & 8 E. from which
a Willow 10 in. dia. bears N 15 W 10 W. dist. 8
a Do 7 " " " S 69 E 14 " "

T. 20 N., R. 7 E. 2^d Mer. Ind.^a
Chr. Ch.

(Land &c. omitted to be described)

North Boundary. Var. 6. 15. E

West on the S. Boundary of Sec. 36, T27N, R7E.

29.12 a Poplar 24 in. dia.

40.00 set gr. sec. post from which

a Spruce 18 in. dia. bears S89 E 14 W, dist. 3

a Beech 14 " " " N84 W 24 " "

62.20 an Elm 18 " "

80.00 set post cor. of sec. 35 & 36 from which

a Poplar 36 in. dia. bears N69 W 10 W, dist. 3

a Beech 8 " " " S27 W 9 " "

Over good farming land. Timber Beech, Ash.
Upr. Spruce

West on the S. Boundary of Sec. 35, T27N, R7E

22.50 a Beech 16 in. dia.

40.00 set gr. sec. post from which

a Beech 8 in. dia. bears N58 E 14 W, dist. 3

a Poplar 8 " " " S89 W 32 " "

78.10 a Brook 10 Ws. wide corner S.

80.00 set post cor. of sec. 34 & 35 from which

a Hickory 18 in. dia. bears S47 W 7 W, dist. 3

an Oak 8 " " " S62 E 29 " "

Land &c. same as last described.

West on the S. Boundary of Sec. 34, T27N, R7E

8.85 Intersect Reserve line run at Var. 5. 15. E.

set post from which

a Beech 14 in. dia. bears N89 W 14 W, dist. 3

a Spruce 12 " " " S31 E 7 " "

(Description of land &c. omitted)

April 5. 1820 John M. Donald, D. S.

West on the S. Boundary of Sec. 34, T27N, R7E

Commenced on eastern Boundary of great Reserve

T. 26 N., R. 7 E. 2. Mer. Ind.^a
Chr. Chr.

ation

- 15.37 a B. Oak 40 in. dia.
31.15 set of sec. part from which
a Beech 9 in. dia. bears S 78 E 24 lbs. dist. 8
a Do 22 " " " S 47 W 22 " "
40.55 a Stream 10 lbs. wide course S.
52.35 a Sugar 18 in. dia. An excellent Sugar camp
71.15 set part cor. of sec. 33 & 34 from which
a Sugar 18 in. dia. bears S 4 W 16 lbs. dist. 8
a Beech 20 " " " N 62 E 33 " "
Land rolling & first rate. Timber Beech, Sugar,
Oak, Ash, Elm & Wyl. Spruce &c

West on the S. Boundary of Sec. 33, T. 27 N., R. 7 E.

- 29.58 a R. Oak 20 in. dia.
40.00 set of sec. part from which
a Beech 10 in. dia. bears N 82 E 4 lbs. dist. 8
a W. Oak 22 " " " S 22 W 10 " "
62.15 a Beech 40 " "
74.50 Road from Marion to Wabash, N
80.00 set part cor. of sec. 32 & 33 from which
an Ash 18 in. dia. bears N 20 E 10 lbs. dist. 8
a Beech 14 " " " S 1 E 9 " "
Rolling good land. Timber Beech, Sugar,
Ash, Oak, Elm, Hickory. Wyl. Sugar & Spruce

West on the S. Boundary of Sec. 32, T. 27 N., R. 7 E.

- 21.41 a Sugar 18 in. dia.
40.00 set of sec. part from which
a Beech 24 in. dia. bears N 63 E 30 lbs. dist. 8
a Do 14 " " " S 14 W 31 " "
67.05 an Elm 30 " "
80.00 set part cor. of sec. 31 & 32 from which
a Beech 10 in. dia. bears N 54 E 19 lbs. dist. 8
a Buckeye 14 " " " N 19 W 20 " "
Land rolling & good. Timber Beech, Sugar,

T. 26 N., R. 7 E. 2. Mer. Ind. a
 Elm, Oak, Ash, Buckeye &c. Ulp. Spice &c.

West on the S. Boundary of Sec. 31, T. 27 N., R. 7 E.
 13.75 a Stream 4 Mts. wide course NN
 14.59 a Do 30 " " " " NE
 34.50 a Beech 40 in. dia.
 40.00 cut of sec. part from which
 a Beech 10 in. dia. bears N 81 E 23 Mts. dist. &
 an Elm 10 " " " " N 56 W 25 " "
 49.00 a Stream 8 Mts. wide course N
 53.48 a Sugar 22 in. dia.
 69.95 cut part cor. of T. 26 & 27 N., R. 6 & 7 E. from which
 a Beech 16 in. dia. bears N 65 W 16 Mts. dist. &
 a Do 24 " " " " N 62 E 20 " "
 Land rolling & rate. Timber Beech, Sugar,
 Elm, Ash, Walnut, Oak &c. Ulp. Spice &c.
 May 18. 1839

West Boundary.

South on the E. Boundary of Sec. 1, T. 26 N., R. 6 E.
 12.13 a Beech 36 in. dia.
 23.86 a B. Oak 48 " "
 40.00 cut of sec. part from which
 an Ash 48 in. dia. bears N 14 W 8 Mts. dist. &
 a Beech 18 " " " " S 2 W 24 " "
 53.08 an Elm 10 " " opposite head of Willow
 Swamp on East side
 61.00 leave Swamp
 80.00 cut part cor. of Sec. 1 & 2 from which
 a Beech 16 in. dia. bears N 56 W 48 Mts. dist. &
 an Elm 24 " " " " S 51 W 78 " "
 First half mile level good land, last half mile
 wet. Timber Beech, Maple, Elm, Ash, Hickory
 &c. Ulp. Spice, Sugar &c.

South on the E. Boundary of Sec. 12, T. 26 N., R. 6 E.

T. 26 N., R. 7 E. 2. Mer. Ind.

Chr. Ok.

16.65 a Hickory 15 in. dia.

40.00 set of sec. post from which

an Ironwood 8 in. dia. bears N55°W 8 1/2 m. dist. S

a Beech 22 " " " S24°W 30 " "

48.95 a Beech 18 " "

80.00 set post cor. of sec. 12 & 13 from which

a Beech 12 in. dia. bears N16°W 22 1/2 m. dist. S

a Do 12 " " " S60°W 59 " "

Land level 2nd rate. Timber Beech, Oak, Elm,

Sugar, Ash, Hickory & 1/2 W. Spruce, Ironwood & Sugar

South on the E. Boundary of Sec. 13, T. 26 N., R. 6 E

13.73 a Beech 40 in. dia.

33.47 a Do 30 " "

40.00 set of sec. post from which

a Beech 18 in. dia. bears N33°W 19 m. dist. S

a Do 20 " " " S60°W 50 " "

73.33 a Sugar 22 " "

79.20 a Stream 15 m. wide course SW

80.00 set post cor. of sec. 13 & 24 from which

an Elm 22 in. dia. bears N37°W 32 1/2 m. dist. S

a Do 20 " " " S24°W 33 " "

First half mile level, last half mile rolling

1st rate. Timber Beech, Sugar, Ash, Elm, Oak

& 1/2 W. Spruce, Hazel & Sugar

South on the E. Boundary of Sec. 24, T. 26 N., R. 6 E

18.77 a Sugar 15 in. dia.

40.00 set of sec. post from which

a Beech 40 in. dia. bears N70°W 27 m. dist. S

a Hackberry 15 " " " S52°W 40 " "

46.00 an Indian trace, NW

52.58 a Sugar 24 in. dia.

68.74 a Hickory 12 " "

80.00 set post cor. of sec. 24 & 25 from which

a Walnut 22 in. dia. bears S21°W 6 m. dist. S

T. 26 N., R. 7 E. 2^d Mer. Ind.^a
 Elm. 12th

a Cherry 12 in. diam. bears N 34 W 18 Ms. dist.
 This mile runs entirely through Bottom
 land, the first half made by the creek cross-
 ed near the last post. Timber Walnut,
 Sugar, Elm, Ash &c.

South on the E. Boundary of Sec. 25, T. 26 N. R. 6 E.
 16.00 old Road from Marion to Peru
 22.95 to the right bank of Mississinewa River, corner
 N 71 W. set post from which
 a W. Oak 30 in. diam. bears N 37 E 21 Ms. dist. 8
 a Do 30 " " " N 127 W 43 " "
 Land &c. same as last described.
 May 20. 1839 Chauncey Carter
 Deputy Surveyor.

Subdivision.

North between Sec. 35 & 36

24.68 a W. Ash 12 in. diam.

40.00 set q. sec. post from which

a Beech 20 in. diam. bears S 56 E 17 Ms. dist. 8

an Ironwood 5 " " " N 23 E 15 " "

61.74 a W. Elm 6 " "

80.00 set post Cor. of Sec. 25, 26, 35 & 36 from which

a W. Oak 9 in. diam. bears N 41 W 4 Ms. dist. 8

a Beech 20 " " " S 10 W 12 " "

Land rolling good 2^d rate. Timber Ash, Oak,
 Elm, Hickory, Beech &c. Upr. Spice, Prickly
 Ash, Ironwood &c.

East on Random between Sec. 25 & 36

40.00 set temp. q. sec. post

80.00 Intersect E. Boundary 16 Ms. E. of post -

Land rolling good 2^d rate. Timber Ash, Oak,
 Hickory, Beech, Sugar &c. Upr. Spice, Prickly Ash &c.

T. 26 N., R. 7 E., S. 2. Mer. Ind.?

West corrected between Sec. 25 & 26
 22.04 a Hickory 20 in. dia.
 40.03 set of sec. part at aver. dist. from which
 a Beech 20 in. dia. bears N 77° W 20 Yds. dist. 8
 a Do 8 " " " N 75° E 9 " "
 57.32 a Beech 12 " "
 80.06 to sec. cor.

North between Sec. 25 & 26
 24.03 a W. Ash 20 in. dia.
 40.00 set of sec. part from which
 a Hickory 12 in. dia. bears N 78° E 8 Yds. dist. 8
 a Buckeye 5 " " " N 66° W 10 " "
 59.00 a Stream 20 Yds. wide course SW
 61.57 a W. Elm 10 in. dia.
 80.00 set part cor. of sec. 23, 24, 25 & 26 from which
 a Beech 14 in. dia. bears N 67° E 15 Yds. dist. 8
 a Do 10 " " " S 46° W 13 " "
 Land rolling good 2nd rate. Timber Sugar,
 Beech, Ash, Oak, Hickory & Ylps. Spice,
 Pawpaw, Ash, Ironwood &c.

East on Randon between Sec. 24 & 25
 13.00 a Stream 20 Yds. wide course SW
 40.00 set temp. of sec. part
 79.84 Intersect E. Boundary 78 Yds. S. of part—
 Land rolling & rich. Timber Sugar, Ash,
 Elm, Beech, Oak, Buckeye &c. Ylps. Spice,
 Ash, Ironwood

West corrected between Sec. 24 & 25
 19.15 a Beech 9 in. dia.
 39.92 set of sec. part at aver. dist. from which
 a B. Oak 8 in. dia. bears N 77° W 13 Yds. dist. 8
 a Beech 30 " " " S 47° E 25 " "
 68.07 a Beech 10 " "

T. 26 N., R. 7 E., S. 2. Mer. Ind.^u
 Ehs. Sh.

79.84 to sec. cor.

North between Sec. 23 & 24

22.24 a Bur Oak 24 in. dia.

40.00 set of sec. part from which

a W. Elm 6 in. dia. bears N 54° W 7 1/2 m. dist. S

an Ironw. 5 " " " N 81° E 32 " "

62.72 a Sugar 24 " "

80.00 set part cor. of sec. 13, 14, 23 & 24 from which

a Beech 12 in. dia. bears S 23° E 30 m. dist. S

a Do 8 " " " N 13° W 29 " "

Sand Rolling 2 rate. Timber Ash, Elm, Oak,
 & Upr. Spice, Ash, Elm, Ironwood &c.

East on Random between Sec. 13 & 24

40.00 set temp. of sec. part

79.66 Intersect Co. Boundary 210 m. S. of part -

Sand level 2 rate. Timber Beech, Ash, Elm,
 Hickory, some Sugar. Upr. Spice, Ash, Ironw.?

West Corrected between Sec. 13 & 24

19.46 a Maple 18 in. dia.

39.83 set of sec. part at aver. dist. from which

a Beech 5 in. dia. bears North 11 m. dist. S

a Do 7 " " " S 57° E 7 " "

58.62 a Beech 16 " "

79.66 to sec. cor. June 5. 1823

North between Sec. 13 & 14

13.78 a B. Oak 10 in. dia.

40.00 set of sec. part from which

a Hickory 12 in. dia. bears S 55° E 27 m. dist. S

a Do 12 " " " N 43° W 23 " "

60.66 a W. Oak 12 " "

80.00 set part cor. of sec. 11, 12, 13 & 14 from which

a Beech 14 in. dia. bears N 68° W 45 m. dist. S

T. D. V., R. & O. L. Mer. Ind.^a
Chr. Sk.

a Beech 11 in. diam. bears S 61 E 24 Ws. dist.
Land level 2nd rate Timber Beech, Ark, Oak,
Sugar, Hickory &c. Ulp. Spice &c.

East on Random between Sec. 12 & 13

40.00 set temp. g. sec. post

79.70 Intersect E. Boundary 206 Ws. S. of post—
Land level 2nd rate. Timber Beech, Ark, Elm,
Oak, Hickory, Poplar &c. Ulp. Spice, Sugar &c.

West Corrected between Sec. 12 & 13

20.95 a Sugar 18 in. diam.

39.85 set g. sec. post at aver. dist. from which
a Hickory 18 in. diam. bears N 46 W 24 Ws. dist. 8
a Poplar 22 " " " S 66 E 10 " "

61.84 a Hickory 10 " "

79.70 to sec. cor.

North between Sec. 11 & 12

15.25 a Beech 13 in. diam.

40.00 set g. sec. post from which

a Beech 10 in. diam. bears N 78 W 10 Ws. dist. 8
a Do 24 " " " S 50 E 24 " "

58.95 a Beech 12 " "

80.00 set post cor. of sec. 11 & 12 from which

a Beech 12 in. diam. bears S 8 E 21 Ws. dist. 8

a Sugar 12 " " " N 19 W 20 " "

Land level 2nd rate. Timber Beech, Sugar,
Sycam, Ark, Elm, Oak &c. Ulp. Spice &c.

East on Random between Sec. 11 & 12

40.00 set temp. g. sec. post

79.54 Intersect E. Boundary 218 Ws. S. of post—

Land level 2nd rate. Timber Beech, Sugar, Ark,
Elm, Oak, Hickory, Sycam &c. Ulp. Spice &c.

234

T. M. N., R. F. O. L. Mer. Ind.^a
Chr. Lk.

West Corrected between Sec. 1 & 12

12.92 a Beech 12 in. dia.

39.77 set of sec. part at aver. dist from which
an Elmwood 4 in. dia. bears N 75 E 100 yds. dist. S

a Beech 4 " " " S 66 W 14 " "

60.76 a B. Ash 18 " "

79.54 to sec. cor.

North between Sec. 1 & 2

13.32 a Poplar 24 in. dia.

40.00 set of sec. part from which

a Hickory 12 in. dia. bears N 82 W 80 yds. dist. S

an W. Elm 20 " " " N 77 E 8 " "

60.50 an W. Oak 20 " "

81.22 Intersect N. Boundary 40 yds. W. of part.

Set part at intersection cor. of sec. 1 & 2 from which.

a Gum 6 in. dia. bears N 46 W 40 yds. dist. S

a Do 20 " " " S 40 W 4 " "

Land level 2^d rate. Timber Beech, Ash, Elm,

Sugar, Oak, Hickory & W. Spr. Spice &c.

June 6. 1823

North between Sec. 3 & 35

18.45 an Elm 18 in. dia.

40.00 set of sec. part from which

an Elm 9 in. dia. bears S 81 E 100 yds. dist. S

a Buckeye 12 " " " N 81 W 28 " "

57.11 a Beech 20 " "

80.00 set part cor. of sec. 26, 27, 34 & 35 from which

a Beech 8 in. dia. bears S 8 E 52 yds. dist. S

an W. Elm 30 " " " N 8 W 25 " "

Land level 2^d rate. Timber Beech, Ash, Elm,

Oak & W. Spr. Spice, Prickly Ash &c.

East on Random between Sec. 26 & 35

40.00 set temp. of sec. part

T. 26 N., R. 7 E., S. 2 Mer. Ind.

80.22 Intersect N & S line 181 Ws. N. of post -
Land level 2nd rate. Timber 8th as last noted

West Connected between Sec. 26 & 35

19.88 a Beech 11 in. dia.
40.11 set of sec. post at w. cor. dist. from which
a N. Oak 28 in. dia. bears N 50 W 5 Ws. dist 8
a Hickory 30 " " " S 89 E 27 " "
63.25 a Hickory 24 " "
80.22 to sec. cor.

West between Sec. 27 & 34

17.98 Intersect E. Boundary of Miami Reserve,
set post from which
a Sugar 24 in. dia. bears N 73 E 10 Ws. dist 8
a Beech 8 " " " S 62 W 40 " "
Land level & rich. Timber Ash, Elm, Sugar
Buckeye, Hickory &c. Wgs. Spice &c.

North between Sec. 26 & 27

19.22 a Sugar 30 in. dia.
25.25 a Stream 20 Ws. wide corner W
40.00 set of sec. post from which
a Beech 20 in. dia. bears N 23 E 9 Ws. dist 2
a Do. 14 " " " S 43 W 25 " "
64.37 a B. Oak 18 " "
80.00 set post cor. of sec. 22, 23, 26 & 27 from which
a Beech 14 in. dia. bears N 53 E 26 Ws. dist 2
a Do 12 " " " South 23 " "
Land rolling beautiful rich. Timber Ash,
Elm, Sugar, Oak, Hickory, Buckeye &c.
Wgs. Spice, Ash, Sugar

East on Raudan between Sec. 23 & 26

40.00 set temp. of sec. post
80.44 Intersect N & S line 194 Ws. N. of post -

T. 26 N., R. 7 E., S. Mer. Ind. a
Ch. & W.

Land rolling good 2nd rate. Timber Ash,
Oak, Sugar, Beech, Elm & V. Upr. Spice,
Ash, Sugar

West Connected between Sec. 23 & 26

20. 19 a Hornbeam 6 in. dia.

40. 22 set of sec. post at aver. dist. from which
a Beech 14 in. dia. bears S 62 E 3 Ws. dist. 8

a Do 14 " " " N 3 E 32 " "

62. 68 a Sugar 24 " "

80. 44 to sec. cor.

West between Sec. 22 & 27

16. 70 Intersect Indian Reserve line set post from which

a Sugar 10 in. dia. bears S 75 E 7 Ws. dist. 8,

a W. Ash 8 " " " N 24 E 26 " "

Land 1st rate, descending towards the East. Timber
Sugar, Ash, Oak, Buckeye, Beech & V. Upr. Spice,
Sugar, Ash &c.

North between Sec. 22 & 23

19. 91 an Elm 30 in. dia.

40. 00 set of sec. post from which

a Buckeye 8 in. dia. bears N 58 W 26 Ws. dist. 8

a Sugar 24 " " " S 75 E 12 " "

53. 40 a stream 5 Ws. wide course W

56. 25 a Beech 14 in. dia.

80. 00 set post cor. of sec. 14, 15, 22 & 23 from which

a Beech 20 in. dia. bears S 46 E 16 Ws. dist. 8

a Do 11 " " " N 40 W 24 " "

Land rolling 2nd rate. Timber Sugar, Ash, Oak,
Lynn, Beech & V. Upr. Sunwood, Ash, Spice &c.

East on Random between Sec. 14 & 23

40. 00 set temp. of sec. post

80. 67 Intersect N. & S. line 175 Ws. N. of post.

T. 26 N., R. 7 E. 2. Mer. Ind.^a
 Ch. 10?

Land rolling good 2nd rate. Timber Ash, Sugar,
 Elm, Hickory, Oak, Beech & Pawpaw, Spice, Ash

West Connected between Sec. 14 & 23

20.53 a Beech 8 in. dia.

40.33 set of sec. part at aver. dist. from which
 a Oak 33 in. dia. bears N 25 E 57¹/₂ lbs. dist. 8
 a Do 24 " " " S 20 W 24 " "

61.37 a Beech 11 " "

80.67 to sec. cor.

West between Sec. 15 & 22

15.10 Intersect Indian Reserve line, set part from which

a Sugar 36 in. dia. bears N 5 E 46 lbs. dist. 8

a Beech 14 " " " S 47 E 51 " "

Land rich & rolling. Timber Beech, Sugar, Ash,
 Elm, Hickory & Upr. Spice, Ash &c. June 7. 1823

North between Sec. 14 & 15

27.40 a Beech 14 in. dia.

40.00 set of sec. part from which

a Beech 11 in. dia. bears N 35 E 33 lbs. dist. 8

a Do 11 " " " S 47 W - " "

65.79 a Beech 20 " "

80.00 set part cor. of sec. 10, 11, 14 & 15 from which

a Sugar 8 in. dia. bears S 12 W 38 lbs. dist. 8

a Do 30 " " " N 18 E 43 " "

Land level & rich. Timber Ash, Beech, Oak,
 Sugar, Hickory. Upr. Sugar, Spice, Ash

East on Plandum between Sec. 11 & 14

20.05 a Stream 5 lbs. wide course NW

40.00 set temp. of sec. part

79.85 Intersect N. & S. line 190 lbs. S. of part -

Land level 2nd rate. Timber Ash, Oak, Sugar,
 Elm, Beech, Hickory & Juniper, Spice

T. 20 N., R. 7 E. 2. Mer. Ind. a

Chs. Ck.

West Connected between Sec. 11 & 14

19.25 a Beech 9 in. dia.

39.97 set of sec. part at aver. dist. from which
a Beech 18 in. dia. bears N 27 E 11 lbs. dist. 8
a Do 10 " " " S 24 W 44 " "

59.89 a W. Ash 19 " "

79.85 to sec. cor.

West between Sec. 10 & 15

13.65 Intersect Indian Reserve line, set part from wh.

a Beech 24 in. dia. bears N 01 E 49 lbs. dist. 8

a W. Ash 20 " " " S 15 E 53 " "

Land timber as last described

North between Sec. 10 & 11

27.00 a Beech 10 in. dia.

40.00 set of sec. part from which

a Beech 14 in. dia. bears N 11 E 34 lbs. dist. 8

a Buckeye 10 " " " S 8 W 32 " "

49.50 a Stream 10 lbs. wide course SW

55.19 a Beech 11 in. dia.

75.00 a Stream 5 lbs. wide course SW

80.00 set part cor. of sec. 2, 3, 10 & 11 from which

a W. Ash 8 in. dia. bears N 54 W 11 lbs. dist. 8

a Beech 8 " " " S 50 E 22 " "

Land T. rate. Timber Beech, Ash, Sugar, Oak,
Elm, Wyp. Pawpaw, Ash, Spice, Buckeye &c.

East on Random between Sec. 2 & 11

16.25 a Stream 5 lbs. wide course SW

28.00 a Do " NW

40.00 set temp. of sec. part

80.12 Intersect N & S. line 242 lbs. S. of part -

Land level good 2nd rate. Timber Ash, Oak,
Elm, Beech, Sugar, Hickory, Wyp. Pawpaw,
Spice, Sugar &c.

T. 20 N., R. 7 E. 2.^d Mer. Ind.

Chs. Sk.

West Connected between Sec. 2 & 11

20.42 a Hickory 22 in. dia.

40.06 set of sec. post at aver. dist. from which
a W. Oak 33 in. dia. bears East 5 Ws. dist. 8

a Beech 12 " " " N 74 W 35 " "

58.41 a Hickory 8 " "

80.12 to sec. cor.

West between Sec. 3 & 10

11.26 Intersect Indian Reserve line, set post from which

a Beech 28 in. dia. bears S 31 E 28 Ws. dist. 8

a Do 24 " " " N 32 E 43 " "

Land a little rolling & rich. Timber Ash, Oak,
Elm, Beech, Hickory, Sugar &c. Ws. Spice,
Ash, Sugar, Hornwood &c.

North between Sec. 2 & 3

18.60 a B. Oak 30 in. dia.

40.00 set of sec. post from which

a Hickory 22 in. dia. bears S 49 W 23 Ws. dist. 8

a Beech 22 " " " N 37 W 44 " "

63.14 a Hickory 24 " "

80.50 Intersect N. Boundary 18 Ws. N. of post -

set post at intersection cor. of sec. 2 & 3 from which

a Beech 10 in. dia. bears N 37 W 43 Ws. dist. 8

a Hickory 30 " " " S 65 E 12 " "

Land level & rate. Timber Ash, Oak, Hickory,
Beech, Sugar &c. Ws. Spice, Ash, Hornwood &c.
June 8. 1823. Josiah F. Polk

Deputy Surveyor.

South between Sec. 3 & 4 Var. S. 20. E.

16.43 an Ash 8 in. dia.

34.20 a Beech 10 " "

40.00 set of sec. post from which

a Beech 18 in. dia. bears N 5 E 18 Ws. dist. 8

T. 20 N., R. 7 E. 2.^d Mer. Ind.^e
 C. W. S. P.

a Beech 30 in. dia. bears N 74 E 28 W. dist.
 52.53 a Beech 14 " "
 70.45 a Lym 6 " "
 80.00 set part cor. of sec. 3, 4, 9 & 10 from which
 a Sugar 12 in. dia. bears N 43 E 9 W. dist. 3
 a Beech 18 " " S 47 W 39 " "
 Land rolling 1.st rate. Timber Beech, Sugar,
 Walnut, Ash, Oak & Spice, Pawpaw &c.

East on Random between Sec. 3 & 10
 70.40 Intersect E. Boundary of section 10 W. N. of post
 Land rolling 1.st rate. Beech, Sugar, Walnut,
 Ash, Oak & Upr. Spice, Pawpaw &c.

West Corrected between Sec. 3 & 10
 22.35 an Ash 6 in. dia.
 30.40 set of sec. part at ~~an~~ dist. from which
 a Beech 12 in. dia. bears N 29 W 18 W. dist. 3
 an W. Oak 48 " " S 30 W 7 " "
 46.24 an Ash 18 " "
 68.11 a B. Oak 36 " "
 70.40 to sec. cor. July 4. 1839

South between Sec. 9 & 10
 14.23 a Beech 14 in. dia.
 22.75 a Stream 12 W. wide course W
 34.70 a Buckeye 18 in. dia.
 40.00 set of sec. part from which
 a Sugar 36 in. dia. bears N 18 W 27 W. dist. 3
 a Beech 24 " " S 30 E 50 " "
 54.04 a Hickory 18 " "
 74.28 a Beech 12 " "
 80.00 set part cor. of sec. 9, 10, 15 & 16 from which
 a Beech 15 in. dia. bears S 25 W 13 W. dist. 3
 an Ironwood 9 " " N 7 E 29 " "
 Land rolling 1.st rate. Timber Beech, Sugar,

C. W. S. P.

Ch. Cr. T. 20 N., R. 7 E. 2. Mer. Ind.

Walnut, Ash & V. Ulp. Spice, Pawpaw &c.

East on Random between Sec. 10 & 15

69.12 Intersect E. Boundary of Section 48 W. S. of post -
Land rolling & good 2nd rate. Timber Beech, Sugar,
Elm, Ash, Oak & V. Ulp. Spice &c.

West Corrected between Sec. 10 & 15

10.54 an Ironwood 9 in. dia.

25.91 a B. Oak 30 " "

29.12 set of sec. post from which

a Sugar 24 in. dia. bears N 89 E 26 W. dist 8

a Hickory 28 " " " N 61 W 39 " "

41.97 a Beech 18 " "

58.79 an Ash 24 " "

69.12 to sec. cor.

South between Sec. 15 & 16

13.68 a Beech 24 in. dia.

32.90 a Do 30 " "

40.00 set of sec. post from which

a Beech 12 in. dia. bears N 11 W 25 W. dist 8

a Do 18 " " " S 27 W 26 " "

51.00 Road from Marion to Wabash, NW

52.65 a Beech 18 in. dia.

72.78 an Ironwood 5 " "

80.00 set post cor. of sec. 15, 16, 21 & 22 from which

an Elm 18 in. dia. bears N 47 E 19 W. dist 8

a Beech 8 " " " S 52 W 24 " "

Land rolling 2nd rate. Timber Beech, Elm,
Oak, Sugar, Ash & V. Ulp. Spice, Ironwood &c.

East on Random between Sec. 15 & 22

10.00 Road from Marion to Wabash, NW

68.12 Intersect E. Boundary of Section 47 W. S. of post -
Land rolling 2nd rate. Timber Beech, Elm, Oak,

Ch. Sec. T. 20 N., R. 7 E., S. 2 Mer. Ind. a

Ash, Sugar &c. Ulp. Spice &c.

West Connected between Sec. 15 & 22

- 9.34 an Ash 30 in. dia.
 26.12 a Beech 24 " "
 28.12 set of sec. part ~~at over-dint~~ from which
 a Beech 18 in. dia. bears N 68 E 23 lks. dint. S
 a W. Oak 20 " " S 11 W 28 " "
 49.81 a Beech 12 " "
 65.09 a Do 24 " "
 68.12 to sec. cor.

South between Sec. 21 & 22

- 10.94 a Beech 18 in. dia.
 28.80 a Stream 6 lks. wide course SW
 29.58 a Beech 14 in. dia.
 40.00 set of sec. part from which
 a Beech 15 in. dia. bears N 23 W 32 lks. dint. S
 an Ash 12 " " S 38 W 29 " "
 51.64 a W. Oak 20 " "
 71.10 a Stream 10 lks. wide course W
 71.98 a B. Oak 12 in. dia.
 80.00 set part cor. of sec. 21, 22, 27 & 28 from which
 a Beech 18 in. dia. bears N 10 E 31 lks. dint. S
 a Do 16 " " N 80 W 16 " "
 Rolling good 2^d rate land. Timber Beech,
 Sugar, Elm, Oak &c. No much Ulp. Spice &c.

East on Random between Sec. 22 & 27

- 38.00 Road from Marion to Wabash, NW
 66.68 Intersect W. Boundary of Section 77 lks. S. of part
 Land rolling & good 2^d rate. Timber Beech, Oak,
 Sugar, Elm, Ash &c. Not much Ulp.

West Connected between Sec. 22 & 27

- 12.44 a Sugar 24 in. dia.

T. McN. R. & E. I. Mer. Ind. a
Chs. Pls.

26.68 set of sec. part from which
 a Beech 20 in. diam. bears N73°W22°W. dist. 8
 a Do 24 " " " S73°E 25 " "
 29.85 a Buckeye 14 " "
 46.56 a Beech 12 " "
 66.68 to sec. con. July 5, 1839

South between Sec. 27 & 28

21.06 a Hickory 24 in. diam.
 36.72 an Ash 5 " "
 40.00 set of sec. part from which
 a Buckeye 16 in. diam. bears N45°E38°W. dist. 8
 a Walnut 10 " " " N71°W23 " "
 54.39 an Elm 10 " "
 55.70 a stream 12 W. wide course SW
 65.43 a Do 7 " " " NW
 71.49 a Sugar 28 in. diam.
 80.00 set part con. of sec. 27, 28, 33 & 34 from which
 a Swamp Ash 8 in. diam. bears N31°E9°W. dist. 8
 a Do 24 " " " S35°W55 " "
 Level 2^d rate land. Timber Beech, Elm, Oak,
 Hickory, Ash &c. Wyp. Spice, Picketly Ash &c.

East on Pradom between Sec. 27 & 34

65.47 Intersect E. Boundary of Cession 70 W. S. of part-
 Land willing 2^d rate. Timber Beech, Oak, Elm,
 Ash &c. Wyp. Spice, Ironwood &c.

West Connected between Sec. 27 & 34

13.34 a W. Oak 20 in. diam.
 23.42 a Do 5 " "
 25.47 set of sec. part from which
 a Sugar 24 in. diam. bears N5°W29°W. dist. 8
 a Buckeye 10 " " " N67°E20 " "
 44.91 a Beech 18 " "
 65.47 to sec. con. July 6, 1839

Em. Sk. T. 26 N., R. 7 E. 2^d Mer. Ind.^a

West on true line between Sec. 28 & 33
 18.08 a Hickory 24 in. dia.
 35.90 a B. Oak 48 " "
 40.00 set g. sec. part from which
 a Beech 12 in. dia. bears N 61 E 19 Ws. dist. 8
 a Do 14 " " " S 13 E 14 " "
 47.70 a Beech 16 " "
 48.88 Intersect N.E. Boundary of Grant N. 22, set
 part from which
 a Beech 24 in. dia. bears S 80 E 21 Ws. dist. 8
 a Do 12 " " " S 25 W 11 " "
 Land level 2^d rate. Timber Beech, Oak, Hickory,
 Elm, Ulp. Ironwood, Hornbeam & Spice

South between Sec. 33 & 34
 9.70 a Beech 15 in. dia.
 29.80 an Ash 6 " "
 40.00 set g. sec. part from which
 a Beech 14 in. dia. bears N 28 E 25 Ws. dist. 8
 a Sugar 12 " " " S 67 W 31 " "
 40.39 Intersect N.E. Boundary of Grant N. 22, set part
 from which
 a Beech 18 in. dia. bears N 39 E 9 Ws. dist. 8
 a W. Oak 30 " " " S 26 W 28 " "
 Level 2^d rate land. Timber Beech, Oak, Hickory,
 Ash & Ulp. Ironwood, Water Beech, Spice &c.

South between Sec. 4 & 5
 10.12 a Beech 24 in. dia.
 34.17 a Do 28 " "
 40.00 set g. sec. part from which
 a Sugar 24 in. dia. bears N 11 E 8 Ws. dist. 8
 a Do 18 " " " S 59 E 42 " "
 48.48 a Beech 10 " "
 60.53 an Elm 18 " "
 80.00 set part cor. of sec. 4, 5, 8 & 9 from which

T. 26 N., R. 7 E. 2. Mer. Ind. a.

Chas. Lk.

a M. Oak 20 in. dia. bears N 28 E 28 lbs. dist. 18
 a Beech 24 " " " S 12 E 12 " "
 Land good rolling 2. rate. Timber Beech, Sugar,
 Oak, Elm &c. Upr. Spice, Ironwood &c.

East on Randon between Sec. 4 & 9

34.00 Road from Marion to Wabash, NW
 35.00 a stream 15 lbs. wide course SW
 80.38 Intersect N. & S. line 58 lbs. N. of part -
 Land rolling 1. rate. Timber Beech, Sugar,
 Oak, Ash, Walnut &c. Upr. Spice, Pawpaw &c.

West Corrected between Sec. 4 & 9

18.49 a Walnut 48 in. dia.
 31.78 an Elm 24 " "
 40.19 set of sec. part at aver. dist. from which
 a Beech 10 in. dia. bears S 64 E 3 lbs. dist. 18
 a Do 18 " " " N 41 W 45 " "
 47.77 a Sugar 24 " "
 68.37 a Beech 18 " "
 80.38 to sec. ca.

South between Sec. 8 & 9

14.93 a Beech 18 in. dia.
 16.90 a stream 15 lbs. wide course SW.
 32.44 a Sugar 24 in. dia.
 40.00 set of sec. part from which
 a P. Oak 7 in. dia. bears N 2 E 16 lbs. dist. 18
 a Sugar 15 " " " S 22 W 28 " "
 52.00 a Sugar 24 " "
 66.77 a Beech 6 " "
 80.00 set part ca. of sec. 8, 9, 10 & 17 from which
 a Beech 15 in. dia. bears N 66 W 24 lbs. dist. 18
 a Do 12 " " " N 24 E 42 " "
 Land rolling, North half 1. rate, South half
 2. rate. Timber Beech, Sugar, Oak, Walnut,

T. 26 N., R. 7 E. 2. Mer. Ind. a

Ch. Cr.

Ash &c. Ulp. Spice, Pawpaw, Ironwood &c

East on Random between Sec. 16

61.00 Road from Marion to Wabash, NW

80.00 Intersect N. S. line 27 Ws. N. of post -
Land rolling & rate. Timber Beech, Oak, Sugar,
Hickory, Elm, Ash &c. Ulp. Ironwood &c

West Connected between Sec. 16

9.60 a Beech 12 in. dia.

38.04 a Do 20 " "

40.00 set g. sec. post cut over, dist. from which
a Beech 15 in. dia. bears N 74 E 38 Ws. dist. 3
a Do 18 " " " S 73 77 49 " "

49.18 a Sugar 14 " "

62.51 a W. Oak 20 " "

80.00 to sec. cor.

South between Sec. 16 & 17

13.74 a Sugar 18 in. dia.

30.54 a Beech 20 " "

40.00 set g. sec. post from which
a Beech 16 in. dia. bears N 31 77 46 Ws. dist. 3
a Gray Ash 12 " " " S 61 77 15 " "

52.99 a Ash 30 " "

64.20 a Sugar 8 " "

80.00 set post cor. of sec. 16, 17, 20 & 21 from which
a Beech 16 in. dia. bears S 75 77 32 Ws. dist. 3
a Do 20 " " " S 76 E 26 " "
Land level & wet & rate. Timber Beech, Hickory,
Gray Ash, Elm, Oak, Sugar &c. Ulp. Spice &c

East on Random between Sec. 16 & 21

79.95 Intersect N. S. line 5 Ws. N. of post -

Land level & 2. rate. Timber Beech, Hickory, Gray
Ash, Elm, Oak &c. Not much Ulp.

Chap. 20. N. R. & E. D. Mer. Ind. a

West connected between Sec. 10 & 21

- 17.42 a Hickory 16 in. dia.
 30.30 a Beech 18 "
 39.97 set of sec. part at aver. dist. from which
 an Elm 24 in. dia. bears N 24 E 21 Ws. dist. 3
 (2) 48.53 an Ash 16 " " " S 18 W 29 " "
 70.80 an Ironwood 4 in. dia.
 79.95 to sec. cor. July 12. 1839

South between Sec. 20 & 21

- 18.04 a Beech 10 in. dia.
 31.05 an Ash 36 "
 40.00 set of sec. part from which
 a Hickory 30 in. dia. bears S 83 E 3 Ws. dist. 3
 a Do 18 " " " N 60 W 26 " "
 47.77 a W. Oak 18 "
 60.50 a Stream 10 Ws. wide course W
 66.91 a Beech 24 in. dia.
 80.00 set part cor. of sec. 20, 21, 28 & 29 from which
 an Elm 14 in. dia. bears S 85 E 30 Ws. dist. 3
 a Buckeye 20 " " " S 21 W 14 "
 North half mile level & wet, South half mile
 rolling 1st rate. Timber Beech, Hickory, Elm,
 Sugar, Ash, Walnut, Buckeye & Upr. Spruce &c.

East on Random between Sec. 21 & 28

- 57.00 a Stream 8 Ws. wide course SW
 80.50 Intersect N & S line 17 Ws. S. of part -
 Land rolling 1st rate. Timber Beech, Sugar,
 Walnut, Ash, Oak &c. Upr. Spruce &c.

West connected between Sec. 21 & 28

- 10.59 an Ironwood 12 in. dia.
 35.70 a Water Beech 4 "
 40.25 set of sec. part at aver. dist. from which
 a W. Oak 15 in. dia. bears S 37 E 25 Ws. dist. 3

T. 20 N., R. 7 E., S. 2 Mer. Ind.^a
 64. 90?

a Sugar 36 in. dia. bears N 73° W 43 Ms. dist.
 51.23 an Ash 40 " "
 68.67 an Elm 15 " "
 80.50 to sec. cor.

South between Sec. 28 & 29

6.15 a Stream 30 Ms. wide course NW Grants Creek
 16.48 a Hickory 24 in. dia.
 31.38 a Cherry 10 " "
 40.00 at q. sec. post from which
 a Beech 24 in. dia. bears N 74° W 23 Ms. dist. &
 a Do 18 " " " N 41° E 48 " "
 51.64 a B. Oak 5 " "
 53.61 Intersect NE Boundary of Grant N. 22, set
 post from which
 a Beech 24 in. dia. bears N 83° E 31 Ms. dist. &
 a Sugar 12 " " " S 85° W 40 " "
 Rolling good State. Timber Beech, Sugar, Oak,
 Ash & C. Upr. Spice & C.

West on true line between Sec. 28 & 29

4.80 Grants Creek 30 Ms. wide course NW
 8.58 same stream course SW
 12.50 Do " NW
 14.75 Do " SW
 16.00 Do " NW
 21.00 Do " SW
 29.32 a Buckeye 18 in. dia.
 34.25 Grants Creek, course NW
 40.00 at q. sec. post from which
 a W. Oak 36 in. dia. bears S 67° E 4 Ms. dist. &
 an Ironwood 5 " " " N 81° W 15 " "
 41.51 Grants Creek, course SW
 65.11 Intersect NE Boundary of Grant N. 22,
 set post from which
 a W. Oak 10 in. dia. bears N 9° E 26 Ms. dist. &

249

T. 26 N., R. 7 E. 2^d Mer. Ind.^d
Ch. 8th

a Buckeye 12 in. dia. bears S 28° W 30 Ws. dist.
(Description of land &c. omitted) July 13. 1839

South between Secs. 5 & 6

6.50 a Stream 10 Ws. wide come NW
15.98 a Sugar 24 in. dia.
30.31 a Beech 12 " "
40.00 set g. sec. point from which
a Beech 20 in. dia. bears N 11° E 24 Ws. dist. 2
a Sugar 24 " " " S 44° E 20 " "
47.52 a Maple 18 " "
67.40 a Beech 18 " "
80.00 set point cor. of sec. 5, 6, 7 & 8 from which
a Poplar 10 in. dia. bears N 15° E 22 Ws. dist. 2
a Beech 24 " " " S 20° E 15 " "
North half mile rolling, South half mile level
I-rate. Timber Beech, Elm, Ash, Oak, Sugar
&c. Upr. Spice, Pickly Ash, Haw &c.

East in Random between Secs. 5 & 8

80.19 Intersected N. E. line 17 Ws. S. of point -
Rolling I-rate land. Timber Beech, Sugar, Wal-
nut, Ash &c. Upr. Spice, Pawpaw &c.

West Connected between Secs. 5 & 8

12.82 a Gum 30 in. dia.
39.12 a Beech 18 " "
40.10 set g. sec. point at aver. dist. from which
a Beech 24 in. dia. bears S 12° W 37 Ws. dist. 2
a Buckeye - " " " N 77° W 13 " "
48.77 a Beech 14 " "
64.75 a Do 24 " "
80.19 to sec. cor.

West between Secs. 6 & 7 on Random

20.00 a Stream 50 Ws. wide come N.

T. N. P. & O. I. Mer. Ind.
 Chr. Chr.

69.71 Intersect W. Boundary at foot - from which
 a Hickory 24 in. dia. bears S 77 E 44 W. dist. 8
 a Beech 20 " " " N 12 E 98 " "
 Land level 2^d rate. Timber Beech, Hickory,
 Oak, Elm & W. Spruce, Ironwood, Water Beech &

East Blazed line back between Sec. 6 & 7
 15.96 a Buckeye 12 in. dia.

29.71 set of sec. part from which
 an Ash 24 in. dia. bears West 28 W. dist. 2
 an Ironwood 10 " " " S 68 E 29 " "

45.88 a Walnut 12 " "

60.98 a Beech 20 " "

69.71 to sec. cor.

South between Sec. 7 & 8

9.00 a Stream 30 W. wide canal NW

14.79 an Ash 6 in. dia.

33.36 a Beech 4 " "

40.00 set of sec. part from which
 a Beech 12 in. dia. bears N 35 E 33 W. dist. 8
 a Do 30 " " " S 25 E 14 " "

48.32 a Beech 18 " "

67.86 an Elm 20 " "

80.00 set part cor. of sec. 7, 8, 17 & 18 from which
 a Bur Oak 14 in. dia. bears S 24 E 21 W. dist. 8
 a Lynn 12 " " " N 34 W 20 " "
 Land level 2^d rate. Timber Beech, Elm, Pop. Ash,
 Oak, Maple & W. Spruce, Ironwood &

East on Random between Sec. 8 & 17

79.90 Intersect N. & S. line 23 W. S. of foot -
 Land level 2^d rate. Timber Beech, Elm, Hickory,
 Oak, Maple & W. Spruce, Ironwood &

West Corrected between Sec. 8 & 17

T. W. N. R. & O. L. Mer. Ind.

Chr. Sk.

12.52 a Lym 30 in. dia.

30.45 an Elm 40 " "

39.95 set of sec. post at aver. dist. from which
a Beech 18 in. dia. bears West 11 Ws. dist. 3

a Sugar 22 " " " S 56 E 39 " "

52.39 a Beech 12 " "

64.45 a Lym 18 " "

79.90 to sec. cor.

July 14, 1839

West on Random between Sec. 7 & 18

69.72 Intersect W. Boundary 40 Ws. N. of post -
Land level wet. Timber Elm, Beech, Hickory,
Lym, Oak & W. Sp. Water Beech &c.

East Corrected between Sec. 7 & 18

Bearings for corner in W. Boundary:

a Beech 12 in. dia. bears N 13 E 35 Ws. dist. 3

a Do 15 " " " S 42 E 38 " "

7.45 a W. Oak 40 " "

21.94 a Lym 6 " "

29.72 set of sec. post from which

a Beech 20 in. dia. bears N 47 E 36 Ws. dist. 3

a Do 10 " " " S 70 W 32 " "

40.62 a Beech 30 " "

56.88 a Sugar 6 " "

69.72 to sec. cor.

South between Sec. 17 & 18

12.37 a Beech 14 in. dia.

32.79 a Do 15 " "

40.00 set of sec. post from which

a Ironwood 15 in. dia. bears N 42 E 28 Ws. dist. 3

a Sugar 20 " " " S 18 W 41 " "

57.54 an Elm 30 " "

67.24 a Hickory 24 " "

80.00 set post cor. of sec. 17, 18, 19 & 20 from which

T. 26 N., R. 7 E. 2. Mer. Ind.⁴
 4th. Sp.

a Sugar 24 in. dia. bears N 26 W 13 1/2 lbs. dist. 3
 a Do 12 " " " S 28 E 24 " "
 Land level good 2nd rate. Timber Beech, Sugar,
 Hickory, Oak, Ash, Gum & V. Mgs. Spruce &c.

East on Random between Sec. 17 & 20

80.00 Intersect N. & S. line 10 lbs. S. of post—
 Land level 2nd rate. Timber Beech, Sugar,
 Elm, Hickory, Oak, Gum &c. No Mgs.

West Connected between Sec. 17 & 20

15.04 a Beech 14 in. dia.
 35.02 an Ash 24 " "
 40.00 set off sec. post at aver. dist. from which
 a Walnut 18 in. dia. bears S 86 E 32 lbs. dist. 3
 an W. Oak 12 " " " N 14 W 10 " "
 51.08 a Maple 24 " "
 69.79 an Ash 5 " "
 80.00 to sec. cor.

West on Random between Sec. 18 & 19

69.62 Intersect W. Boundary 22 lbs. N. of post—
 Land rolling 2nd rate.

East Connected between Sec. 18 & 19

N. & S. Bearings for corner in W. Boundary
~~a Beech 18 in. dia. bears S 74 E 13 lbs. dist. 2~~
~~a Sugar 10 " " " N 63 W 25 " "~~
 12.82 a Sugar 15 " "
 25.59 a Hickory 6 " "
 29.62 set off sec. post from which
 a Cherry 9 in. dia. bears S 19 E 7 lbs. dist. 3
 a Buckeye 12 " " " S 80 W 18 " "
 38.46 an Ash 30 " "
 53.98 a B. Oak 14 " "
 69.62 to sec. cor.

T. 26 N., R. 7 E. 2. Mer. Ind.^a

Ch. 20.

South between Sec. 19 & 20

18.00 a Bur Oak 36 in. dia.

32.67 a Hickory 16 " "

40.00 set of sec. part from which

a Bur Oak 18 in. dia. bears N 17 E 8 1/2. dist 23

a Beech 20 " " " S 34 E 32 " "

53.00 a Beech 15 " "

66.57 Intersect N. E. Boundary of Grant N. 22, set part from which

a Beech 12 in. dia. bears North 17 1/2 W. dist 23

an Ash 36 " " " S 29 W 22 " "

Land rolling & rate. Superb Oak timber,
Beech, Hickory, Ash & W. Spruce, Ironwood &c.
July 15. 1839

Measured from corner of sec. 18 & 19 in N. Bound-

ary South 8.77 Ch. to N. Boundary of Grant

N. 22, set part from which

a Beech 18 in. dia. bears S 74 E 13 W. dist 23

a Sugar 16 " " " N 63 W 25 " "

I hereby certify that in pursuance of a contract with C. S. Haines, Surveyor General of the United States for the States of Ohio, Indiana and Michigan, bearing date the 20th day of April 1839, and in strict conformity with the laws of the United States and the Instructions of the said Surveyor General, I have surveyed and subdivided into sections Township N. 26 North of Range N. 7 East of the 2^d Principal Meridian, in the State of Indiana; And I further certify that the foregoing are the true and original Field Notes of the said survey, executed as aforesaid. Certified this 15th day of July 1839
Chauncey Carter, Dep. Surv.

T. 26 N., R. 7 E. S. 3 Mer. Ind. a


J. M. P. Hand } Chain carriers
E. M. Miller }
Wm J. Shaver, Marker.

I certify that the foregoing transcript of
Field Notes of the survey of Township N. 26
North, of Range N. 7 East of the 2^d Principal
Meridian in the State of Indiana, has been
compared with the original on file in this
office, and found to be correct.


Surveyor General's Office,
Cincinnati, March 10. 1845

William Johnston
Sur. Genl.

INDEX MAPS.
T.26 N. R. 7 E. 2^d Mer.



6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

 The figures on the lines refer to the page.

501.

Township No. 26 N. Range No. 7 E. 2nd Mer. India²
Ch. Lks.

South Boundary.

Witness Cor. to Towns 25 & 26 N. R. 6 & 7 E. are
a B. Oak 15 in. diam N. 72 E. 68 lks. &
a Beech 20 " " N. 52 W. 53 "

N. 89.50 E. On S. Boundary of Sec. 31.

5.50 East Creek 50 lks. wide co. N. N. E. rapia

10.35 To River Line No. 3. Set post from which
a Beech 15 in. diam N. 76 W. 80 lks. &
a Sugar 20 " " " 9.23 N. 37 "

Measure S. 1.40 E. along W.
Line of River No. 3 - 12.30 to S. E. Cor. of claim
No. 4 - and Measure along W. Line of
claim No. 3. 27.45 to S. W. Cor. of No. 3.

76.32 Sec. Cor. to 31 & 32 in Water -

Land gently rolling fine
rate - B. Walnut, Beech, W. B. Oak But-
ternut, Sugar &c -

N. 89.50 E. On S. Boundary of Sec. 32.

49.70 To Easterly Line of claim No. 2 and
Set post from which
a Blue Ash 10 in. diam N. 29 E. 32 lks.
a Hickory 8 " " " 5.43 W. 53 "

Measure S. Along Easterly
line of claim No. 2 - 30.92 to S. E. Cor. of No. 2.

56.20 Enter field No. 8.

69.20 a House 50 lks. N. of Line

69.70 to small portion of Mississippiway River
co. N. 60 lks. wide - deep to Island

72.90 To Mississippiway River & Set post on
east side of Island co. N. W. - from which
a Sycamore 15 in. diam N. 59 W. 103 lks. do
a Do 10 " " " N. 76 W. 104 "

Mississippiway River is 3.00 wide &
at this time rapid & shallow stony Bottom

T. 26 N. R. 7 E. 2nd Mer. Indiana;
chs. 18.

Land is rolling fine rate. B.
Walnut, Beech, Sugar. Iron. Hickory
Lynx &c.

Surveyed Oct. 23. 1846. by
John Mullitt

Aspy. Surveyor.

also By Recorder.

Remainder of this Boundry
in claim at 22.

West Boundry.

N. 10° W. On E. Boundry of Sec. 36. T. 26 N. R. 6 E.
5.00 Bed of Stream 10 Mts. wide co. S. E.

12.28 To S. Boundry of Reser. A. 4. and
542 feet from which

an Elm 24 in. diam. B. 938 E. 92 Mts.
a Dry Creek 15 " " " 960 W. 120 "

Measured 888.20 - along
Boundry of Reser. A. 4. 54. 16 to S. W.
corner of same - and
Measured 188.20 E. along S. Boundry
of A. 4. 10.30 to S. E. cor. of A. 4.

Land for same

Surveyed October 23. 1846. by

John Mullitt

Aspy. Surveyor

Survey of Private Grants A. 2
2 & 3. confirmed to J. B. Richardson
by Treaty - as connected with Public Survey.

Commencing at a post on
the Bank of the Mississippi 57.75 N. of
the S. E. cor. of Sec. A. 2. Thence

N. 66 W. 8.38

N. 11 E. 15.00

503.

T. 26 N. R. 7 E. 2nd Mer. Indiana.

N. 70 E.	25.00
N. 10 E.	8.00
N. 46 W.	20.00
N. 10 W.	17.00
N. 74 W.	14.00
S. 70 W.	10.00
S. 40 W.	8.00
S. 8 E.	13.00
S. 54 W.	19.00
N. 35 W.	25.00
N. 5 W.	35.00
S. 80 W.	9.00
S. 5 W.	20.00
S. 38 W.	39.00

S. 78 W. 15.00 to Stone on the S. Bank of the
Mississineway - being N. E. Cor. of Sec. 4 and
N. W. Cor. of Sec. 3 from which
an Elm 48 in. diam. & N. 26 E. 26 W. dis.
a Red Haw 12 " " " N. 83 E. 24 " "
Thence W. Boundary of Sec. 3.

South

57.00 to a Stone S. W. Cor. of Sec. 3 p. wh.
a Sugar 15 in. diam. & W. 22 N. dis.
a Black Oak 6 " " S. 5 E. 22 " "
a W. Walnut 12 " " N. 32 W. 37 " "

East

114.37 to S. E. Cor. of Sec. 2. from which
a Walnut 7 in. diam. & North 25 W. dis.
a Cherry 7 " " " S. 72 E. 18 " "

Note - 59.00 E. from S. W. Cor. of Sec. 3. and
55.37 W. from S. E. Cor. of Sec. 2. Stand
a post S. E. Cor. of Sec. 3. & S. W. Cor. of Sec. 2 p. wh.
a Sugar 21 in. diam. & North 2 W. dis.
a Do 18 " " " South 60 " "

From this post

North Between Sections 2 & 3.

T. 26 N. R. 7 E. 2nd Mer. Indiana.

ch. & lks.

102.80 to a post on the S. Bank of River N. E.
 Cor. of Sec. 3 & N. W. Cor. of Sec. 2. fr. wh.
 a W. Oak 14 in. diam. to N. 42 E. 18 lks. &
 a do 10 " " " 9.42 N. 8 "

Returning to S. E. Cor. of Sec. 2. Thence
 North On E. Boundary of Sec. 2.

57.75 to a post on the Bank of Mispinaway River
 and place of Beginning fr. wh.
 a Buckeye 24 in. diam. to S. 71 W. 8 lks. &
 a Hackberry 24 " " " N. 5 E. 11 "

Sec. No. 2 containing 640.81
 acers. and Sec. No. 3 containing 639.74
 acers.

The above surveys were made
 in May 1843 in pursuance of a Treaty
 made with the Miami Nation of Indians
 Nov. 28. 1840, and confirmed with
 certain Amendments by the United
 States Senate Feb. 25. 1841. which
 said Amendments were accepted by
 the Indians May 15. 1841. - Whereupon
 said Treaty received the final sanction
 and ratification of the said United
 States Senate - June the 7th 1841. -

One of the Articles specified in said
 Treaty, granted unto John B. Richardville
 one of the Chiefs of said Miami Nation of
 Indians, seven Sections of Land, to be
 selected at such point or points, as he
 the said John B. Richardville may select,
 (not less than one Section to be selected at
 any one point) whereupon the above
 Lands were and are selected as a
 part of said Grant

Surveyed by

David P. Alder

505.

T. 26 N. R. 7 E. 2nd Mer. Indiana

County Surveyor for
Grant County
Indiana

Benj^c. Oakley }
Joseph Cravens } chairmen
Henry Piery Marker - Sworn -

I certify that the foregoing
Transcript of the Field Notes of Township
No. 26 North in Range No. 7 E. (Fractional)
2nd Meridian Indiana has been com-
pared with the Original notes in this
Office and found to be correct -
Surveyor Genl. Office
Detroit Nov. 1. 1849. J.

Lucius Lyon,
Ch. Genl.